




Multifunctional 10" Nd / 1" system with well balanced sound characteristics in a compact cabinet. The use of Neodym drivers ensures light weight. This system provides good bass reproduction even without the proprietary controller. A variety of M8 and M10 mounting points provide for easy mounting of the accessory hardware and installation. The system is also available in the AF 4 version optimised for permanent installation.

PRODUCT SPECIFICATIONS

Speaker Components	10" Nd / 1"
Description	Multi Purpose Sound System
Power AES / Peak	300 W / 900 W
Impedance nominal	8 Ω
SPL 1 W / Peak @ 1 m	95 dB / 123 dB
Usable Range	60 Hz - 20 kHz (-6 dB)
Tuning Frequency Excursion minimum	65 Hz
X - Overpoint acoustical	1,6 kHz
Coverage horizontal / vertical	90° x 60° - rotatable
Max. Splay Angle	---
Connectors	2 x Neutrik Speakon NL4MP in/out Coding: 1 +/- HiMid, 2 +/- loop thru
Handles	1 x
Rigging / Fittings	2 x M10 / 7 x M8 4 x M10 / 7 x M8 (installation version) 35 mm pole mount
Weight	13 kg
Size height x width x depth	51,5 x 32,4 x 30,6 cm
Order No.	00250/II 00250/AF/II (installation version)




The heavy duty 1" HF driver in combination with the rotatable horn ensures high acoustic precision.




Ergonomic handle on top.



DIMENSIONS



Installation Version AF 4




Controller Setups are available on our website:


<http://www.seeburg.net/downloads.php>

COVERAGE PATTERNS


2D Directivity Plot - horizontal



Sensitivity 1 W @ 1 m + Impedance



2D Directivity Plot - vertical



Flying Bracket



for A 4 / TSM 10 horizontal alignment, incl. screws
(per unit: 2 pcs. adapters, M10 hex lock nuts, flat- and rubber washers)
Order No. **01220/H/set**

Flying Bracket



for A 4 / TSM 10 incl. screws
(per unit: 2 pcs. M10 x 20 ergostyle lobe knob and rubber washers)
Order No. **01220/set**

Flying Bracket



for AF 4 horizontal alignment, incl. screws (per unit: 2 pcs. M10 x 20 socket head screws, rubber washers)
Order No. **01220/H/AF4**

Ergostyle Lobe Knob



for flying brackets, M10 x 20, with grip, adjustable
Order No. **08171**

Flange



for flying brackets, 35 mm Ø → M10,
Order No. **08126**

Rubber Washer



for flying brackets, 40 mm
Order No. **01205**

Doughty Trigger Clamp



for flying bracket, SWL 200 kg
Order No. **01222**

Steel Savety Cable

4 mm - 50 cm
Order No. **01376**



Chain Fastener

VBS 7 mm
Order No. **01378**



Ring Screw

M10– DIN 580
Order No. **73700**



TV Spigot

10 mm internal thread, 28 mm Ø
Order No. **08128**



Wall Mount



for U-brackets, 40 kg max., incl. screws (M10 x 70 mm socket head screw, M10 hex lock nut and flat washer)
for 8"-12" speakers
Order No. **08130/F/269**

Wall Mount



with tilt unit, 40 kg max.
Order No. **08130**

ACCESSORIES A 4

Speaker Stand



Incl. wind up, 50 kg max., height 129 to 204 cm, K&M

Order No. **03011**

50 kg max., K&M

Order No. **03010**

Cover



for A 4 / TSM 10, padded

Order No. **01242**


Rain Cover



for A 4 / TSM 10

Order No. **01242/outdoor**


Flight Case



for 2 pcs. TSM 10 / A 4, heavy duty, 9 mm birch multiplex, PVC coated, 2 x recessed sprung handles, 4 x butterfly catches, 4 x 100 mm blue wheels, 2 pcs. with brake, interior lined with felt.

Order No. **16049**


Flight Case Trunk



for 2 pcs. TSM 10 / A 4 and accessories, heavy duty, 9 mm birch multiplex, PVC coated, hinged lid, 6 x recessed sprung handles, 2 x butterfly catches, 4 x 100 mm blue wheels, 2 pcs. with brake, interior lined with felt.

Order No. **16060**

Flight Case Trunk



for 4 pcs. TSM 10 / A 4 with flying brackets 01220, heavy duty, 9 mm birch multiplex, PVC coated, 6 x recessed sprung handles, 2 x butterfly catches, 4 x 100 mm blue wheels, 2 pcs. with brake, interior lined with felt.

Order No. **16063**

