



Ultra flat stage monitor fitted with lightweight coaxial 12" / 1.4" Neodymium drivers. With high power reserves, homogeneous sound distribution and low tendency to feedback, the M 3 is a tool that will greatly simplify a sound engineer's job. Combined with the optional flying bracket, the system can also be used both as a downfill and as a univesal sound system.

## PRODUCT SPECIFICATIONS

<b>Speaker Components</b>	12" Nd / 1.4" Nd Coaxial
<b>Description</b>	Low Profile Monitor
<b>Power</b> AES / Peak	500 W / 1500 W
<b>Impedance</b> nominal	8 Ω
<b>SPL</b> 1 W / Peak @ 1m	98 dB / 133 dB
<b>Usable Range</b>	80 Hz - 19 kHz (- 6 dB)
<b>Tuning Frequency</b> excursion minimum	90 Hz
<b>X - Overpoint</b> acoustical	1,2 kHz
<b>Coverage</b> horizontal / vertical	60° - conical
<b>Max. Splay Angle</b>	- - -
<b>Connectors</b>	2 x Neutrik Speakon NL4MP in/out Coding: 1 +/- HiMid, 2 +/- loop thru
<b>Handles</b>	2 x
<b>Rigging / Fittings</b>	2 x M10
<b>Weight</b>	16 kg
<b>Size</b> height x width x depth	27,4 x 40,0 x 47,0 cm
<b>Order No.</b>	<b>01068</b>




The attractively formed handle cutouts guarantee comfortable handling.



The connectors are good face accessible to the user.




## DIMENSIONS




## MEASUREMENTS

### Sensitivity 1 W @ 1 m + Impedance





### 2D Directivity Plot - horizontal



Controller Setups finden Sie unter:

<http://www.seeburg.net/downloads.php>

## APPLICATIONS



## ACCESSORIES M 1

### Flying Bracket



for M 1  
incl. screws  
(per unit: 2 pcs. M10 x 60 adjustable  
handle screws)  
Order No. **01202**

### Handle Screw



for flying brackets, adjustable  
M10 x 60  
Order No. **08375/60**

### Flange



for flying brackets,  
35 mm Ø → M10,  
Order No. **08126**

### Doughty Trigger Clamp



for flying brackets,  
SWL 200 kg  
Order No. **01222**

### Steel Savety Cable

4 mm - 50 cm  
Order No. **01376**



### Chain Fastener

VBS 7 mm  
Order No. **01378**



### Ring Screw

M10— DIN 580  
Order No. **73700**




### TV Spigot

10 mm internal thread,  
28 mm Ø  
Order No. **08128**



### Rain Cover

for M 1  
Order No. **01228/outdoor**



### Flight Case

für 2 pcs. M 1,  
heavy duty, 9 mm birch multiplex,  
PVC coated, hinged lid, 6 x recessed  
sprung handles, 2 x butterfly catches,  
4 x 100 mm blue wheels, 2 pcs. with  
brake, stackable, interior lined with felt.  
Order No. **16015/pro**

