

DESCRIPTION

TECHNICAL DRAWINGS

COOKIE® is made of a flexible open-cell regular foam which are excellent sound absorption materials. The optional velvet finishing gives this product an attractive luxury look. Its appearance describes a simple concave and convex circular shape and is always supplied in pairs.

COOKIE®'s acoustic characteristics make this product ideal for use as noise control device in buildings. It improves airborne noise reduction also providing fire safety and environmental requirements.


Due to its low weight, COOKIE[®] allows the creation of large-surface areas that can be glued or hanging, giving rooms an attractive appearance.

Meeting rooms, offices and hotel foyers can be acoustically upgraded just as effective and attractive by using this product. The installation method is very simple by using mounting glue.

The raw material of this product meets the most important international fire safety regulation. It is produced without using halogenated hydrocarbons, flame-retardants and/or toxic heavy metals.


FEATURES

- NRC: 0.90/m² [>250Hz; <10KHz].
- ACOUSTIC FOAM Fire resistance: Euroclass B-s3,d1 (similar to old M1).
- · Good thermal insulation properties and constant physical properties over a wide temperature range.
- · Resistance to all organic solvents.
- · Sold in pairs.
- · Mounting: glue or by hanging.



MODELS AND SIZES

MODELS	HEIGHT	DIAMETER	WEIGHT
COK 060	5/8 cm	60 cm	0.3 Kg
COK 060v	5/8 cm	60 cm	0.3 Kg



*PANEL DATA ONLY OF REF.: COK060 VELVETY FINISHING.

REGULAR FOAM COLOURS

VELVETY COLOURS



IMPORTANT NOTICES

JOCAVI® accepts no responsibility for any printing errors. Specifications can be modified without prior notice, if technical or commercial reasons so require.
The colours shown on this catalogue are only a reference and an illustration of the products finishing. The colours shown are not binding because brightness, contrast and colour balance may vary due to the printing process.
Colours may vary due to raw-material suppliers' changes and some differences may occur in tonal range.
Typical Indoor Contront Standards state a temperature range of 20°C - 27°C (68°F - 14°F), and a relative humidity of less than 60%. These would be considered as normal operational levels of JOCAVI® products' range.
Despite all the standard sizes of all products, this model can be customised upon previous consultation. Sizes may vary slightly due to their production method and some inherent raw-materials upon previous consultation.

ABSORBENT PANEL

COOKIE®