




Bass extension for the Galeo C line array featuring integrated flying hardware for flown or ground stacked applications. The classic bass reflex design in combination with flow optimised ports and the high power 18" Nd driver provide accurate and precise bass reproduction even in the lowest frequency range.

PRODUCT SPECIFICATIONS

Speaker Components	18" Nd (4,5" VC)
Description	Passive Bass Extension
Power AES / Peak	1500 W / 4500 W
Impedance nominal	8 Ω
SPL 1 W / Peak @ 1 m	101 dB / 138 dB
Usable Range	30 Hz - 200 Hz (-6 dB)
Tuning Frequency excursion minimum	36 Hz
Connectors	3 x Speakon NL4 in/out Coding (2x): 1+/- loop thru, 2+/- Sub Coding (1x): 1+/- Sub, 2+/- loop thru
Handles	6 x
Rigging / Fittings	M20 on top Wheelboard fittings Integrated flying hardware
Weight	49 kg (+ 8 kg wheelboard)
Size height x width x depth	58,0 x 58,0 x 78,0 cm
Order No.	00415



DIMENSIONS




APPLICATIONS




Galeo C + Galeo C Sub

MEASUREMENTS

Frequency Response with Presets



Sensitivity 1 W @ 1 m + Impedance



Flying Frame



for Galeo C / Galeo C Sub,
incl. accessories
(3 pcs. 8 x 25 mm ball lock pins,
load adapter and 100 mm distance
bar) - also for ground stack.

Order No. **01326**

Ball Lock Pins



for Galeo C / Galeo C Sub
flying frame

Order No. **01380/6x25** (6 x 25 mm)

Order No. **01380/8x25** (8 x 25 mm)

Load Adapter



for Galeo C / Galeo C Sub flying
frame

Order No. **01327**

Load Adapter M10



for Galeo C / Galeo C Sub / PS 1
flying frame

Order No. **01328**

Speaker Pole



250 mm, \varnothing 35 mm, M20
with ring lock

Order No. **03020**

Speaker Pole

M20, with crank

Order No. **03023**



ACCESSORIES Galeo C Sub

Cover



for Galeo C Sub / G Sub 1801,
by using wheelboard, padded
Order No. **01234/C**

Cover



for 2 x Galeo C Sub / 2 x G Sub 1801,
to be used with dolly/top board,
padded, with zipper on front and
velcro strip to secure the open lid.
Order No. **01234/C/Dolly**

Cover



for 4 x Galeo C Sub / 4 x G Sub 1801
or 2 x G Sub 1802, to be used with
dolly/top board, padded, with zipper
on front and velcro strip to secure
the open lid.

Order No. **01256/Dolly**

Wheelboard



for Galeo C Sub / G Sub 1801,
also usable as Dolly,
stackable, 8,0 kg
Order No. **01268**

Dolly



for Galeo C Sub / G Sub 1801,
up to 3 units, 80 x 60 cm,
incl. top board
Order No. **01268/Dolly**

Dolly



for up to 6 x Galeo C Sub /
6 x G Sub 1801/ 3 x G Sub 1802,
118 x 60 cm, incl. top board
Order No. **01273/Dolly**

