

Passive Bass Extension **G Sub 1802**




The G Sub 1802 is a universal 2 x 18" high-power subwoofer with truck-load compatible outside dimensions. The 116 x 78 cm footprint makes set-up with a loudspeaker pole mounted on the sub possible with even quite large mid-high systems. Mechanical and acoustic compatibility with the G Sub 1801 and Galeo C Sub allow a wide and versatile range of combination possibilities. This subwoofer combines very good handling with exceptional acoustic precision and depth of frequency.

PRODUCT SPECIFICATIONS

Speaker Components	2 x 18" Nd (4,5" VC)
Description	Passive Bass Extension
Power AES / Peak	3000 W / 9000 W
Impedance nominal	4 Ω
SPL 1 W / Peak @ 1 m	104 dB / 144 dB
Usable Range	30 Hz - 200 Hz (-6 dB)
Tuning Frequency excursion minimum	36 Hz
Connectors	3 x Speakon NL4 in/out Coding (2x): 1+/- loop thru, 2+/- Sub Coding (1x): 1+/- Sub, 2+/- loop thru
Handles	8 x
Rigging / Fittings	M20 on top and side Wheelboard fittings
Weight	81 kg (+ 12,5 kg wheelboard)
Size height x width x depth	58,0 x 116,0 x 78,0 cm
Order No.	00640




DIMENSIONS




MEASUREMENTS

Frequency Response with Presets



Sensitivity 1 W @ 1 m + Impedance



ACCESSORIES G Sub 1802

Speaker Pole

M20, with crank, K&M
Order No. **03023**



Wheelboard

for G Sub 1802,
also usable as Dolly,
stackable, 12,0 kg
Order No. **01273**



Dolly

for up to 3 x G Sub 1802 /
6 x G Sub 1801 / 6 x Galeo C Sub,
118 x 60 cm, incl. top board
Order No. **01273/Dolly**



Cover

for G Sub 1802,
by using wheelboard, padded
Order No. **01256**



Cover

for 2 x G Sub 1802 or 4 x G Sub 1801/
4 x Galeo C Sub, to be used with dolly/
top board, padded, with zipper on front
and velcro strip to secure the open lid.
Order No. **01256/Dolly**



K 24 + G Sub 1802

